

Impact of Traditional Cultural Values on Acceptance of Health Care Systems among the Santhals of Orissa

Purujit Praharaj*

*Research Scholar, Tata Institute of Social Sciences (TISS), Mumbai, India
E-mail: purujit.praharaj@gmail.com

INTRODUCTION

The World Health Organisation defines health as, “a state of complete physical, mental and social well-being and not merely the absence of disease and infirmity” (WHO, 1971). It is also asserted that health may be seen as a state of dynamic equilibrium between an organism and its environment. Good health corresponds to dynamic stability, normal function and homeostatic control. Ill health corresponds to a state of instability, loss of function and failure of self-regulation. But the perception about health, disease and health seeking behaviour are not the same across culture. It varies from culture to culture as an integral part of human ecology and cultural ways. Human cultures as a part of their cognitive development have complex ideas regarding causes of sickness and ways of cures. This is the base of empirical medical systems that provide means for prevention and cure. This knowledge of prevention and cure of sickness is passed on from generation to generation. Medicine is a part of culture and like any other aspect of culture; it has an element of unrecognized inner rationale, and is influenced by non-medical cultural phenomena in number of ways. There is considerable body of literature on health seeking behaviour among primitive societies and folk or peasant cultures.

The study of regional variations in human health, the effect of environment on health and the holistic causes of disease goes by many names, medical geography, physical anthropology, medical sociology, epidemiology and medical anthropology. India alone provides unbounded range for the practice of medical geography. Medical anthropology, on the other hand, is the study of ethnomedicine; explanation of illness and disease; from both an *emic* and *etic* point of view. Studies show that in most tribal communities, medical care, treatment and etiology of disease are defined within the social context. Thus, to understand the health seeking behaviour of tribal people it is important to identify the processes by which tribal recognises sickness and the ways to counteract it. Illnesses are constructs of belief and knowledge, which vary with time and space. The study on medical system worldwide have revealed that they are based primarily on two principles: first, the belief about the nature of health, the cause of illness, and the remedies and the other curing techniques used by doctors, and the second, the ways employed by the society to deal with sickness and maintenance of health.

Tribal health studies in India

Despite remarkable worldwide progress in the field of diagnostics, curative and preventive aspects of health, still there are people living in relative isolation, in natural surroundings, maintaining a socio-cultural distance from others. Owing to their unique traditional life ways, the concept of health and well being of tribal people also differs from the rest of the population in many ways. It has been observed that among the tribal people the universal index of a threat to health is expressed through withdrawal from normal day to day work. Mahapatra (1994), therefore, sees health among tribal groups as a functional and not clinical concept. Sachchidananda (1994) sees the field of tribal health aspects as a cultural concept as well as a part of social structure and organisation which is continuously changing and adapting itself to changes in the wider society. It is a faith, prevailing among tribes that diseases are caused by supernatural agencies. Broadly, the tribal people believe in four types of super-natural powers. These are (1) protective spirits who always protect them; (2) benevolent spirits who are worshiped at the community and familial level regularly, otherwise they may bring diseases or death; (3) malevolent spirits - the evil spirits who control smallpox, fever, abortion, etc. and (4) Ancestral spirits, the spirits of their ancestors and always protect them.

The causes of ill health perceived by the tribal communities can be divided into two categories, namely, known and supernatural. Thus Choudhury (1994) and Lewis (1958) believes that the study of tribal health should be with reference to their distinctive notions regarding different aspects of diseases, health, food, human anatomy and faiths as well as in the process of interaction with modern world. Singh (1994) indicates nine factors to examine and assess the tribal health situation in India. He highlights the effect of changing physical environment on tribal health, which is ultimately related to their economic pursuits, nutritional availability, medicines etc. It has also been emphasised that ecology and tribal health is intimately related. Studies of Barth (1956) reveal how ecological influence people's health status.

In recent decades the tribal people have witnessed unprecedented wave of non-traditional elements entering into their social and cultural life. The concept of health and treatment is no exception. The inflow of western concept of health care system and changing social and physical environment has placed the traditional health care system of tribal group in a complex situation. The tribal people are exposed to medical pluralism. Prevalence of traditional health care practices and nature and extent of acceptance of modern health care practices among the tribal people in India has been mentioned by various scholars in recent years. Guite and Acharya (2006) have shown that the acceptance of a particular health care system among the tribal people mostly depends on its availability and accessibility. It is interesting to note that while the tribal groups following traditional religion use traditional medicines putting religious or supernatural value on it, the converted Christian tribes use the same medicine excluding its religious tune. The study reveals that education has been able to heal the traditional inhibition of tribal people to attend PHCs without ignoring the importance of traditional healing practices.

Pramukh and Palkumar's (2006) study shows that the tribal groups namely, the Savaras, Bogatha, Konda Dora, Valmiki, Koya, Kond Reddi etc. believe in the power of prayers and rituals that enables some herbs to act as medicines to heal diseases among them. They attribute diseases to certain deviant acts of self and others towards elders, nature, and divine rules. Thus, their first priority is to get spiritual cure in a traditional way. Jain and Agrawal's (2005) study shows that the Bhills in Udaipur, Rajasthan, attribute disease to the act of deities and spirits of various kind and by appeasing them, they believe, disease may be healed. They depend on Bhopa (traditional healers), herbalist and Dais for cure of disease. The same study shows that people are, to a great extent, inclined towards modern health care system too, without ignoring the traditional system. Bhasin's (2004) study among the Ladakhis shows a blend of health care involvement. She finds that in case of serious illness people tend to attend modern health care facilities. But in many cases accessibility of such facilities do not confirm people's acceptance of modern health care system. People invariably believe in spirit and other supernatural beings as causes of disease and priority of treatment inclined mostly towards traditional healers. Nagda (2004) shows that among the tribal people of Rajasthan, illness and consequent treatment is not always an individual or familial affair. At times the whole village or the community may be perceived as affected by such diseases and healing must be done at community level. Such perception shows the integrity and responsibility of entire community towards an individual or family and vis-à-vis which is defined by existing culture. In such cases modern system has nothing to do in treatment.

Another study among the Meitis of Manipur reveals that though the people are educated enough, the concept of deities and their effect on human health are widely prevalent among them (Sunita Devi, 2003). The author, in details, describes the ill effect of the deity *Hingchabi* and the treatment offered by traditional healer *Maiba*. She shows how effective is the use of medicinal herbs along with beliefs to heal an ill person influenced by the deity. Bhasin's (2004) study on the causes of underutilisation of Biomedicines among the tribal women of Rajasthan indicates, their cultural attributes are attached to the concept of health and diseases.

Rationale of the study

In a welfare state like India, the administrative policies have direct bearing on the people's economic aspects ultimately leading to several issues in health related sector. In contrast to traditional health care system, the official health care system is based on modern science and technology separating it from broader social and cultural concerns and influences. It is evident that the state-supported modern medical system does not generally recognise the traditional medical systems. Several studies have proved that traditional societies do not get the most needed psychological security in modern medical system as it ignores the cultural components of disease and treatment prevailing in a given society. John Bryant (1988) sees the involvement of the individual and the local community in primary health care not as a social nicety; rather as a medical necessity. But services that are delivered from the outside have little effect unless absorbed by the individual and the community. It has been revealed that the diverse and deep-rooted social and cultural phenomenon of a society play important and many a time decisive role

in deciding acceptance or non-acceptance of particular health care option. Thus, a study regarding nature and extent of acceptance of modern health care facilities among the tribal group was felt essential, so that a holistic approach covering the social and cultural environment of the people can be forwarded towards policy planning.

THE PEOPLE UNDER STUDY

The Santhals

The Santhals are the third largest tribal community of India after the Gonds and the Bhills respectively, with a population over 4.26 million. They are distributed in the states of Bihar, West Bengal, Orissa, and Tripura. The Santhals of Orissa are distributed in the districts of Balasore, Keonjhar, and Mayurbhanj. The Santhals are divided into twelve patrilineal totemic clans (*pari*), namely, *hansda*, *murmu*, *kisku*, *soren*, *marandi*, *tudu*, *boske*, *pauria*, *charrey*, and *bedia*, which are further divided into several sub clans. Their traditional village council consists of the headman, *majhi haram*, the assistant headman, *jog-majhi*, the priest, *nacke*, and the messenger, *godet*. It also includes one adult male member from each household. The Santhal who follow the traditional religion have their gods, represented in nature. *Thakur Jiu* is their god and *Maran Buru* is their guiding spirit. In addition to these, the Santhals have clan and family deities or spirits called 'bonga'. The dead ancestors are also considered to belong to the realm of *bonga*. The traditional hunter-gatherer Santhals have transformed in to settled cultivation and wage labourer by now.

Indigenous views of health and diseases among Santhals

The Santhals believe in folk medicine. They have their traditional healers upon whom they have considerable faith and confidence. The Santhals have few common characteristics regarding perception of health and disease. Like many other tribal societies they also attribute a lot of diseases to the wrath of god, mischief of evil spirits and magic of human being. Treatment is based upon the removal of causative factor by appeasing god; controlling evil spirits through counter magic, use of sorcery along with herbal treatment. Thus religious practices of the Santhals are closely related to their health care system also. Apart from a host of spirits, the pantheon consists of the following deities or *Bongas*, namely,

1. *Sing bonga*: the sun god, the supreme deity, and worshipped after harvesting and before sowing seeds.
2. *Marang buru*: the mountain god is a community as well as a family deity and a guardian god.

3. *Jahera bonga*: the widely celebrated goddess for protection from diseases, She is village deity (*grama devi*) and while displeased can punish with diseases.
4. *Gossain era*: the associate of *Jahera bonga*.
5. *Moreiko and Turuiko*: the deity of fire and are placed in *Jahera*, a place of worship in forest outside village.
6. *Majhi haram* and *Majhi burhi* are protective deities that stop *bongas* and spirits from doing harm to their people.

Besides these deities listed above they have their family deities like “*Ora bongas*” and the “*Abge bonga*”. There are 178 different bongas, which the santhals propitiate by magico religious performances.

STUDY METHODOLOGY

The selection of villages

The state of Orissa is having large share of tribal population (22.2 percent) comprising of 62 groups of tribal communities. Mayurbhanj is one of the tribal dominated districts with the highest percentage of tribal population. Mayurbhanj is situated at a distance of 250 kms from the state capital of Bhubaneswar. The tribal constitutes 57.87 percent of the total district population. The district has 3947 villages and 26 community development blocks. For the purpose of the study following criteria for selecting the villages were taken into consideration:

1. Villages having more than 500 scheduled tribe populations.
2. Scheduled tribe forming more than 90 percent of total population of the village,
3. Villages situated at a distance of more than 40 km from district head quarter,
4. Villages situated at a distance of less than 10 kilometers from the district head quarter,
5. Elimination of CD block bordering the neighbouring district boundary,
6. Identification of villages in Sadar Block,
7. Identification of tribal groups residing in identified villages- the Santhals,
8. Two villages each from each set of villages based on distance criteria,
9. 40 percent sample households selected on simple random basis from each selected village.

The name, distance and location etc. of the selected villages are presented in Table 1 as follows:

Table 1. List of selected villages by distance from district headquarter

S. No. .	Classification of the set of villages *	Name of the village	Name of the C.D.block	Distance from district headquarter	Sample Covered
1.	Set-I	Raikadjharan	Baripada	8 kms.	37
2.		Indupahi	Baripada	5 kms.	49
3.	Set-II	Rangamatia	Bangiriposi	44 kms.	35
4.		Kaduani	Bisoi	59 kms.	46
Total Sample size					167

*For further reference in the text and the table the two sets of villages will be indicates as Set-I and Set-II respectively

The village profile

A brief description of the selected villages is given as follows:

Raikadjharan Village: This village is situated within Baripada Community Development block. The nearest town is Baripada, which is seven kms away from the village. The approaching road is kuchha. Nearest health center is situated at a distance of eight kms. The households are very scatterly distributed in this village. Besides the Santhal tribe, the *Kolha* and the *Bhumij* are also residing in the same village. The villagers are using drinking water from wells and river water in their day-to-day life.

Indupahi Village: This is the second village in first set of villages. Baripada is the nearest town to this village, which is five kms away. The total land area of the village is 200.66 hectares. The approaching road to this village is pucca. The villager use bore wells and tube well as source of water. The village is having forestland measuring of one hectare. The village is also having a large amount of unirrigated land and forty-six hectares of cultural wasteland land / *gauchar*.

Rangamatia Village: This village is in Bangiriposi Community Development Block. The nearest town to this village is Baripada, which is situated at a distance of forty-four kms. The nearest health center is located at a distance of six kms, which is a sub center. The villagers use water from bore well and tube well for different proposes. The approaching road to the village is kuchha. The village is having an area of 170.13 hectares, out of which seven hectares are forest and 81.13 hectares of cultural waste land / *gauchar*.

Kaduani Village: Kaduani is the other village in the second set of villages. This village comes under Bisoi community development block and Bisoi police station. The nearest town to this village is Rairangpur town at a distance of thirty-three kms. The villagers have been using bore-wells and river as sources of waater. The approaching road is

pucca. The total area of the village is 253.33 hectares, out of which 13.7 hectares are cultural waste land / *gauchar*, and 14.33 hectares are available for cultivation.

Data collection

Both quantitative and qualitative research techniques were used for data collection. Fully structured questionnaire was used as the quantitative tool and in-depth interview and non-participant observation was used as the qualitative tool in the study. Total nine in-depth interviews were carried out. Out of the nine, two were of ANMs, two of them were of village headmen and two were of doctors. Rests of the three were of traditional healers.

Basic amenities in the villages

A survey of the basic amenities existed in the selected villages was done. The finding of the survey has been presented in Table 2. The table shows that the living condition of the tribal people in the selected villages was not very satisfactory in terms of availability and accessibility of basic needs and necessity.

Table 2. Availability of basic household and village level amenities by Set-I and Set-II villages
Percent

Types of Amenities	SET-I	SET-II
<i>Types of houses</i>		
Kuchha	88.4	75.3
Semi-pucca	11.6	24.7
<i>Source of drinking water</i>		
Well	76.7	33.3
Tube-well	7.0	50.6
River / Stream	17.4	16.0
<i>Method of purification</i>		
Strain by cloth	23.3	1.2
Filter	1.2	-
Bleaching Powder	2.3	-
No purification	73.3	98.8
<i>Type of fuel using for cooking</i>		
Wood	52.3	100.0
Crop residues	47.7	-
<i>Cooking place</i>		
Inside the house	14.0	33.3
Outside the house	86.0	66.7
<i>Frequency of urban visit</i>		
Frequently	68.6	14.8
Occasionally	18.6	46.9
No visit	12.8	38.3
<i>Type of approaching road to the hospital</i>		
Kuchha	59.7	46.6

Types of Amenities	SET-I	SET-II
Pucca	-	53.4
Semi-pucca	40.3	-
Total (n)	100 (86)	100 (81)

Literacy status among the selected population

Literacy has made a far-reaching impact on many traditional inhibitions of many societies. The tribal people, too, are no exception. Proper education brings awareness towards many basic issues related to health, social evils and socio-economic stigmas. Institutional education system has penetrated tribal domain long back. But in many places literacy rate shows that they tribal people are still far behind in the race as compared to their non-tribal counterparts in the country. The study also looked into the literacy status of the studied population. Table 3 shows the findings of the study.

Table 3. Literacy rates among study population by Set-I and Set-II villages

Villages	Sex						Percent
		Illiterate	Below primary	Primary complete	Middle complete	Above HSC	Total
SET-I	Male	69.6	7.0	3.7	12.1	7.5	100 (214)
	Female	77.8	8.9	3.1	7.1	3.1	100 (225)
SET-II	Male	43.8	9.0	13.8	17.6	15.7	100 (210)
	Female	77.9	7.0	5.2	7.0	2.8	100 (213)

In the first set of villages the male literacy rate was only thirty percent, whereas in the second set of villages the literacy rate was more than fifty six percent. The level of literacy among the villagers living near the district headquarter was lagging far behind as compared to the villagers living at a distant place from district headquarter. While as many as 70 percent of people were illiterate there were only seven percent people literate up to HSC level. There were only 20 percent of people having educated above primary level. This revealed that literacy rate was factually as low as 20 percent. In the second set of villages the literacy rate including middle complete and above HSC level was approximately 33 percent. This showed a considerable difference in literacy rate among the people of second set of villages. It was interesting to note that closeness to urban localities did not show a positive impact in terms of rate of literacy among these tribal people. The table also revealed that among females the literacy rate was not at all showing any difference in two sets of villages. In both the cases the female literacy rate was only twenty two percent. If the last two levels were considered as actual literate then the literacy rate would become nearly 10 percent and 11 percent respectively. This showed a pathetic condition regarding female literacy among the Santhals.

BELIEF SYSTEM REGARDING HEALTH

Faith on different health care systems

The Santhal villages have been introduced to modern health care system through government PHCs and hospitals etc. In urban localities private clinics had also flourished in recent years. But, the tribal people were found deeply intertwined with traditional practices of health care. Thus, for the purpose of the study, the nature and extent of people's faith in traditional and modern health care system was investigated.

The study recorded as many as 46 percent people's positive opinion towards modern medicines in the first set of villages (SET-I) whereas, in second set of villages (SET-II) 42 percent people indicated a clear inclination towards modern medicines. Contrary to the fact that urban contact would reduce faith level on traditional practices, 22 percent of the SET-I population showed their faith towards traditional healing system as compared to 12 percent people of the SET-II group who stayed at a far away place from urban locality. The most interesting part of the finding was that as many as 31 percent people of the first set of the villages and 46 percent people of the second set of the villages showed their inclination towards both the system. This made it clear that the Santhals were still having faith in traditional medical systems. But by now they had also started accepting the modern health care facilities. The qualitative data also supported this finding. Effort was also made to collect information on the reasons for change in health seeking behaviour of the Santhals. One of the traditional healers aged about 55 years said;

“In earlier days, we used to collect the medicines from the nearby forests. But now a days it had become difficult getting medicinal plants. And all those things happened because of the extensive deforestation”

Besides this, the analysis of qualitative data collected from the village head man indicates that, lack of willingness to practice traditional health care system among the new generation. In words of a village head man,

“In due course of time the traditional healers are also loosing their power, because of the lack of practice and willingness”

The age factor of the respondents was found having more impact in determining the inclination towards a particular health care system than any other factors. It showed that on an average the aged people were more inclined to traditional methods of treatment whereas the young generation was heading towards modern medicine system. It was also found that irrespective of age and educational level percentage of people having exclusive faith on traditional health care practices was in decline. People were found having a good mixture of faith in both the system with a more inclination towards modern health care system. The version of villagers revealed that people had been

shifting from traditional medicine system to modern medicine system, because traditional medicines were not available everywhere.

The reason behind the acceptability of different health care system was enumerated. The findings have been presented in Table 4.

Table 4. Reasons for acceptance of different health care system by Set-I and Set-II villages

Preference status	Reasons for preference	Percent	
		SET-I	SET-II
Prefer Modern medicines	Effectiveness	39.5	45.7
	Easy to access	33.7	39.5
	Provider's good behavior	2.3	-
	Cheaper	2.3	2.5
	Total (n)	67	71
Prefer traditional system	Effectiveness	-	6.2
	Easy to access	5.8	2.5
	Traditional healer is having supernatural power	38.4	39.5
	Cheaper	-	2.5
	Bound by the custom	2.3	4.9
	Can't say	7.0	2.5
	Total (n)	46	47

Table 4 revealed that effectiveness as one of the reasons for acceptance of modern medicine has scored the highest among the studied population. Easy access of medicines and health care providers also counted as one of the strongest determining factors for the acceptance of modern medicines. Low price, service providers' good behaviour etc also did affect people's choices to some extent as shown in the table. The same table also revealed that majority of the people had faith in traditional system because they believed that the traditional healers had supernatural power. Qualitative data also supported this finding. One of the interviews conducted with an ANM (Auxiliary Nurse Midwife) also revealed that Santhals have tremendous faith on their traditional healers. In words of the ANM,

“They believe that, their traditional healer/priest can appease the deities, their ancestors, who have direct bearing on their health and well being. It is also believed that, the traditional healer can control the evil spirits”

Contrary to the acceptability of modern medicines for effectiveness, the people who had faith in traditional medicine did not put forward it as a major reason for their acceptance. For some it was the easy access to the traditional healers and for some it was their custom that binds them to the system. A few of them did not know any reason and just followed it.

People deeply believed that there were some diseases, which the modern medicine practitioners could not cure, but the traditional healers could, as they were equipped with

some supernatural powers. This finding agrees with several other researchers, view on tribal people's perception on disease and inclination towards a particular healing system on priority basis. That is, if the tribal people are sure that the cause of disease is spirit or deity related they would first go to the traditional healers. Accessibility to modern medicine may not turn them towards it. Even the traditional healers opined in the same line. One of the traditional healers interviewed said,

“In case modern medicine fails to cure, we can satisfy deities by performing some ceremonies in which the diseased person also has to offer things like black hen, and goat to the respective deities. And after giving these offerings and performance of puja, the modern medicine will definitely respond.”

Many of the Santhals found to have fear for the deities and they feel that diseases are directly controlled by one or the other deity. But the tribal people are by now well exposed to modern health care system and lack or scarcity of traditional healers with credentials inspires them to go for modern healers. The finding also reveals that the medical pluralism is opened to these tribal people like many other tribes as mentioned by many other scholars.

Service providers during the first stage of any common diseases

It was revealed that tribal people attributed their illness to the act of one or the other supernatural entity. Thus tribal people, in general, would try to appease the respective deity related to the disease and would receive advice of traditional healer if they were available. Most of the tribal families perceived modern medicine system as an alien system. Thus, even though they used to go to modern health workers, they had tried to appease the deity responsible for the ailment before taking modern medicine. To find out the nature of people's first service providers in case of disease treatment the study was conducted in following way.

For this study some common diseases were taken into consideration. The diseases, which were taken into consideration, were fever, cold and cough, diarrhea, malaria, skin diseases and jaundice. For these diseases people used to avail different types of services available in their locality. From Table 5 the variation in the service utilization in both the sets of villages could be observed.

Table 5. Name of the first service provider for common diseases by Set-I and Set-II villages

Service providers	Percent	
	SET-I	SET-II
Traditional healer Priest / Sorcerer	36.0	48.2
Village Health Workers	2.3	-

Service providers	SET-I	SET-II
Hospital / PHC / Health Sub-Center	11.6	28.4
Private clinics	33.7	23.5
Home based remedy	5.8	-
Christian Missionary	10.5	-
Total (n)	100 (86)	100 (81)

Table 5 was prepared to show the nature of first service providers. It revealed the existing trend of tribal people's attachment towards traditional healers as the first preference of treatment. Out of the total affected persons in the Set-I villages, 36 percent of the villagers called on the traditional healers. As many as 48 percent of people from Set-II villages, who were affected by different disease, consulted the traditional healer as their first choice of treatment. The rest of the affected people accepted modern medicine as their first preference of treatment. This clearly indicated the fact that the traditional healing system had a respectable place among the tribal people under study.

The above discussion made it clear that roughly half of the people were utilising the services provided by the traditional healers for common diseases. For obvious reason the number of people going for modern health care were more in first set of villages. The qualitative finding revealed that, majority of Santhal's were utilising the services provided by the traditional healers for common diseases. The reasons for this were found to be the belief that the traditional healers are having supernatural powers and the poor financial condition of the patients. On the other hand, the traditional healer also found to be dedicated towards their ancestral profession. In the words of a traditional healer,

“We are not demanding anything from the patient in return, because if we will demand anything from the patient, then the goddess will withdraw all the supernatural powers, which she has given to us”

Occurrence and treatment pattern of diseases

Table 6 was prepared to show the trend of occurrence of diseases in both the sets of villages in last one year prior to the survey period. The table also shows the number of people who got cured using traditional medicine only.

Table 6. Occurrence of different diseases and treatment by traditional healer by Set-I and Set-II villages

Types of Diseases	SET-I		SET-II	
	Persons affected	Persons helped by traditional healer	Persons affected	Persons helped by traditional healer
Fever	13.9	14.8	16.1	17.6
Cold & cough	19.6	11.6	23.1	17.3
Diarrhea	7.3	10.3	6.8	24.1
Malaria	10.0	0.0	19.3	11.0
T.B.	0.9	0.0	0.2	0.0
Jaundice	3.4	100.0	5.20	72.7
Skin Disease	6.3	0.0	3.3	21.4
Total (n)	439		423	

The table revealed that the occurrence of fever, cold and cough was reported to be high in second set of villages in comparison to the first set of villages. The occurrence of diarrhea in both the villages was found to be about seven percent. But malaria was found to be twice in the second set of villages in comparison to the first set of villages. In case of jaundice it was also found to be more in second set of villages. But regarding skin diseases six percent of the total population was affected in the first set of villages, whereas three percent were affected in second set of villages. Almost all the other diseases showed a high occurrence in the second set of villages.

It was found that for different type of diseases different type of service providers had been consulted by the Santhals in both the sets of villages. The table revealed that nearly 15 percent people suffering from fever had been treated by traditional healer in the first set of villages as against 18 percent of such sufferers in second set of villages who took the similar treatment. The study revealed that approximately 17 and 13 percent of people suffering from fever were treated with home-based medicines in two sets of villages respectively. It was revealed that in case of common cold, cough and fever tribal people were found reluctant to go for treatment. They used to perceive it as seasonal problem and believed in natural cure. Thus it was reported that almost one third of the people in both set of villages stayed at home while suffering from this disease. In case of children suffering from prolong cough, nearly 42 percent of them in distant villages were treated with medicine provided from PHC etc. On the other hand, villages having facilities for private treatment nearly 40 percent patients went for it. Nearly 12 percent and 17 percent of patients suffering from this disease took traditional treatment in the first and the second set of villages respectively.

It was revealed that one-fourth of people affected by diarrhea in the second set of villages sought treatment from traditional healer as against 10 percent of affected people of other set of villages who went to traditional healer. People rather preferred going for modern health care facilities in case of serious disease. But lack of facilities in distant villages drew people's attention towards traditional healing system. Traditional healer could not master the treatment of malaria among the studied population. As low as 11 percent of the affected people in villages distantly located from district HQ was inclined towards traditional healer. The table above revealed that a lot of affected people relied on home-

based medicine for treating skin disease. In case of treating Jaundice, people had more faith on the traditional healers. Table 6 revealed that all fifteen persons, who were affected by Jaundice, utilised the services provided by the traditional healers in the first set of villages whereas seventy three percent of the affected persons had utilised the health care services provided by the traditional healers. In treating tuberculosis the five affected persons had utilised the health care services provided by the government hospitals / PHCs /Health sub centers.

Process of Diagnosis among Santhals

Among Santhals the traditional medicine practitioners are known as “*Ojha*” (Ojha is a term borrowed by the Santhals from the hindu).

With the help of two *Sal* (*local name*) leaves the “*Ojha*” diagnoses the ailment. He rubs oil on the patient and then sprinkles vermilion on his body. Along with it he chants *mantras*. Finally he looks and reads into the leaves. It is believed that the “*Ojha*” can see the cause then read the procedure to cure the disease by reading into the leaves. Accordingly he proceeds with his treatment. If he proclaims that the person is possessed by an evil spirit, then the treatment is very different. It is tried to cure by *mantras* only. If the patient is not suffering from spirit then “*Ojha*” gives herbal medicines. The medicines given by the “*Ojha*” are of two types (1) for external use such as pastes, oil, medicated water for bath or washing, (2) for internal use, mixtures and pills.

Perception of the Santhals about different type of diseases

Health seeking behaviour also includes the perception about the cause of disease. And this perception always leads to the treatment seeking behaviour among the tribes. Table 7 shows the peoples’ perception about the causes of different diseases under investigation.

Table 7. People’s perception about the causes of disease by Set-I and Set-II villages

Disease	No specific idea		Weather change		Lack of nutrition		Bad spirit		Mosquito bite	
	SET-I	SET-II	SET-I	SET-II	SET-I	SET-II	SET-I	SET-II	SET-I	SET-II
Fever	39.9	38.7	47.6	37.1	9.3	15.4	3.2	4.5	0.0	4.3
Cold and Cough	38.5	39.7	54.0	49.4	6.2	9.7	0.0	0.0	1.4	1.2
Diarrhea	46.2	50.6	1.7	10.2	42.8	28.8	9.3	8.0	0.0	2.4
Malaria	40.3	46.8	0.0	0.0	3.4	3.3	9.8	0.0	46.5	49.9
Jaundice*	7.4	25.8	0.0	0.0	0.0	0.0	53.5	44.4	0.0	0.0

* Bad work of past as a reason for jaundice has been mentioned by 33.3% in SET-I and 29.3% in SET-II and lack of cleanliness accounts for 5.35 in SET-I

Table 7 revealed that in average between 40 to 50 percent people did not have specific idea about the causes of all the first four diseases under study. In case of jaundice people had relatively some specific ideas. It also showed that people perceived change of weather as a major cause of fever, cold and cough. In case of diarrhea lack of nutrition was one of the major causes known to them. According to the half of the people jaundice was caused by the effect of bad spirit. This also established the reason why most of the affected people sought treatment of traditional healers instead of modern medicine. The ill effect of bad work done in the past was also perceived as one of the causes of this disease. The affect of bad spirit worked throughout all the disease as one the causes though in a smaller number. As discussed above deities and spirits plays a significant role in controlling the health system among Santhals. Analysis of qualitative data also supports this finding. One of the village head man said,

“Many times in order to make doctor’s medicine (Modern medicine) effective, one need to offer Puja to ‘Sitala Maa’ (Village deity) with the help of priest (traditional healer). After offering the puja, if he/she takes the medicine given by the doctor then, it will work”

The reason of malaria was rightly perceived by nearly half of the population as the effect of mosquito bite. It was worthwhile to note that the change of weather did not literally mean the change in physical weather. It might have meant beyond that which included the total surrounding constituted by natural and super-natural beings. As mentioned earlier the tribal people need spiritual security during their illness as most of these diseases are caused due to the influence of supernatural beings, tribal people finds rationality in the treatment of traditional healers. Modern healthcare providers do not have the same.

The tribal people invariably used to drink country liquor (*handia*). Females were also found equally indulging in drinking liquor. Nearly 66 percent people found drinking country liquor irrespective of their closeness to urban areas. Though the modern health care practitioners attributed most of the diseases among the tribal people to their drinking habit, the tribal people perceived it in other ways. It was believed that it used to give required energy to the persons to work in their respective fields. *Handia* was very common at the time of rituals. Santhals had been using *handia* as an offering to their gods during rituals and at that time every member of the village used to takes *handia*, as this was treated as a *Prasad* (things offered to God). The traditional healers reported that *Handia* would act like a medicine for the patients. This was because it would help keeping the stomach in a good condition. At the time of fever *handia* was the best medicine for quick recovery. Interestingly, the converted tribal families to Christianity did not indulge in *handia*. The ideology behind it was that if any body had taken *handia*, then he / she would have faced with many bad consequences.

CONCLUSION

Culture and social systems are dynamic and subject to change. While we speak about traditional tribal societies we always depict a society in transition. It has been well revealed in this study that the Santhal societies have been changing at a certain pace in terms of their health seeking behaviour. The rapid depletion of natural surrounding and eco-system of tribal people compounded with infiltration and intrusion of non-tribal elements into tribal domain play a major role in changing tribal culture, value system and their worldview. The study certainly points out that the traditional health care system still finds its meaning of survival in tribal domain. The traditional healer, who considered as the guardian of tribal society, acts as the medium between man, nature and supernatural entity and provides spiritual security to the tribal people. This is the link on which the uniqueness of tribal society exists. The tribal people feel secured with the protection given by their traditional healers against psycho-social problems or spiritual insecurity. The spiritual insecurity plays vital role in availing health care services, lack of which leads to failure of the system. But it is sad to see that many government policies hardly accept this component in their health related aids and campaigns. A rational synthesis of traditional perception with modern facilities would certainly give better results in tribal health issues in India.

REFERENCES

- Barth, F. 1956 "Ecological Relationship of Ethnic Groups in Swat, North Pakistan." *American Anthropologist*, 58(6): 1088.
- Basu, S.K. 1994. "The State-of-the Art: Tribal Health in India", P312, in Salil Basu (ed.), *Tribal Health in India*. Delhi: Manak Publ.
- Bhasin, Veena. 2004. "Sexual Illness and Underutilization of Biomedicine Among Tribal Women of Rajasthan", in *Anthropologist*, 6(1): 1-12, Kamla raj Enterprises, Delhi.
- Bhasin, Veena. 2005, "Ecology and Health: A Study Among Tribes of Ladakh" *Studies in Tribes and Tribals*, 3(1):1-13, Kamla-Raj enterprises, Delhi.
- Bryant, J. 1988. "Health for all: The dream and the reality." *World Health Forum*, 9(3): 291-302.
- Chaudhuri, B. 1994. "Social and environmental dimensions of tribal health". In S. Basu (Ed.), *Tribal health in India*. pp.70-83, Delhi: Manak Publications PVT. Ltd..
- Jagga Rajama, K., D. Vijaya and B. Raw, 1996 "Health Seeking Behaviour, Acceptability of Available Health facilities and Knowledge about Tuberculosis in a Tribal Area" *Indian Journal of Tuberculosis*, 43, 195-199, Tuberculosis Association of India, New Delhi.
- Jain S. and S. Agrawal, 2005, "Perception of Illness and Healthcare Among Bhills: A Study of Udaipur District in Rajasthan" *Studies in Tribes and Tribals*,3(1): 15-19, Kamlaraj Enterprises, Delhi.
- L. Sunita Devi 2003, "Ethnomedical Practices in Manipur: A Case of Evil Eye", *Anthropologist*, 5(1): 25-40, Kamla Raj Enterprises, Delhi.
- Lewis, Oscar. 1958. *Village Life in Northern India*. New York: Random House.
- Mahapatra, L.K. 1994. Concept of Health Among the Tribal Population Groups of India and its Socio-economic and Socio-cultural Correlates", Pp.1-12 in Salil Basu (ed.), *Tribal Health in India*. ; Manak Publ. Delhi
- N. Guite and S. Acharya. 2006, "Indigenous Medicinal Substances and Health Care: A Study Among Paite Tribe of Manipur, India", *Studies in Tribes and Tribals*, 4(2): 99-104, Kamla Raj Enterprises, Delhi
- Nagdda, B.L. 2004, "Tribal Population and Health in Rajasthan", *Studies in Tribes and Tribals*, 2(1):1-8, Kamla-Raj Enterprises, Delhi.
- Raj Pramukh and P.D.S. Palkumar. 2006, "Indigenous Knowledge: Implication in Tribal Health and Disease" *Studies in Tribes and Tribals*, 4(1): 1-6, Kamla Raj Enterprises, Delhi.
- Sachchidananda. 1994. Socio-cultural Dimension of Tribal Health", pp 57-69. in Salil Basu (ed.), *Tribal Health in India*. ; Manak Publ. Delhi
- Singh, Bhupinder . 1994 . Factors Influencing Health of Tribal Population Groups", pp.40-56, in Salil Basu (ed.), *Tribal Health in India*. ; Manak Publ. Delhi
- World Health Organization. 1980. *The Primary Health Worker*. World Health Organization, Geneva.